

1Kg

SOJET

(Imidacloprid 10% w/w)

BAIT INSECTICIDE AGAINST FLIES



PROFESSIONAL USE

PROFESSIONAL USE

Formulation: Water dispersible granule (WG)

Active substance: Imidacloprid

Chemical family: Nitroguanidines (Neonicotinoids)

Target insects: Flies

Mode of action: The active ingredient, imidacloprid, acts by binding to the insects neurons. This binding causes a disturbance in the transmission of nerve impulses which is lethal to the target insect.

The product is easy to apply and provokes fast knockdown. The product contains a bittering agent which helps to prevent ingestion by children, non-target animals and pets.

Use instructions: The product can be used as a spray for treatment of surfaces. There is no need to spray the complete surface because this bait will attract pests to the treated area. Begin applications at the start of the season before fly populations have reached their peak. Best results occur when the product is applied to many locations throughout the structure or facility. Spray the product on surfaces where house flies tend to rest. House flies prefer warm, still sites for resting, so avoid cool or windy locations. Begin applications at the start of the season before fly populations have reached their peak. For spray applications, apply as a coarse fan or cone spray. Apply solution at a low pressure not to exceed 20 psi. Flush spray equipment with water to prevent clogging. For paint-on applications, use a brush or roller paint applicator to apply solution to surfaces.

Application dose:

-For spray applications, add 500g of this product to 4L of water and agitate until completely mixed. 4L of finished spray will treat 100m² of fly-resting surfaces.

-For paint-on applications, add 250g of this product to 1/4L of water, and mix to desired consistency for best painting results. Apply this mixture in narrow bands up to 15 cm wide on suitable fly-resting surfaces. Do not apply this product at a rate exceeding 250g for every 100m² of floor space.

Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed. Store in original containers and out of the reach of children, preferably in a locked storage area. Handle and open container in a manner as to prevent spillage.

Packaging: The packaging must be disposed as hazardous waste under the sole responsibility of the holder of that waste. Do not empty into drains and waterways. See special instructions/Safety data security.

Precautions: After using SOJET and before eating, wash your hands and skin with soap and water. Do not apply the product to surfaces where food is stored, prepared or consumed. Protect food, cooking utensils and cutlery contamination during application.

Do not apply the product in accessible areas to children and pets. Do not apply product on surfaces accessible to children or pets. Do not apply product in areas where cattle can ingest product. Do not allow product to come in contact with food or water.

Do not apply to milking equipment at dairy facilities. Do not apply inside food processing or manufacturing facilities. Do not apply in classrooms or patient rooms.

Do not contaminate ponds, waterways or ditches with the product or cartridges. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds.


Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

IN IRELAND, ALL BATS ARE PROTECTED UNDER SCHEDULE 5 OF THE WILDLIFE ACTS (1976 AMD 2000). BEFORE TREATING ANY STRUCTURE USED BY BATS, CONSULT THE NATIONAL PARKS AND WILDLIFE SERVICE.

First aid: Change contaminated clothing. After skin contact: Wash skin with soap and plenty of water immediately. After eye contact: Wash eyes thoroughly with water. Consult an ophthalmologist. After swallowing: Call a doctor immediately. Symptomatic treatment is recommended.

IMPORTANT: USE INSECTICIDES WITH PRECAUTION. BEFORE USE, READ THE LABEL.

N



DANGEROUS FOR THE ENVIRONMENT

SOJET (contains 10% w/w Imidacloprid)

Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment. Keep out of reach of children. Keep away from food, drink and animal feedingstuffs. When using do not eat, drink or smoke. Avoid contact with eyes and skin. Do not empty into drains; dispose of this material and its container in a safe way. Wear suitable gloves. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions/ safety data sheet.

To avoid risks to man and the environment, comply with the instructions for use

Respect the uses, doses, conditions and precautions on the packaging which have been determined based on product characteristics and applications for which it is recommended. The treatment should be performed according to good practice taking into account under your responsibility all the specific factors that may be involved and are beyond our control (materials used, application conditions, product mix, etc)...The manufacturer guarantees the quality of its products sold in their original packaging.

For further information, please contact: SHARDA Europe b.v.b.a. Jozef Mertensstraat 142, 1702 Dilbeek BELGIQUE Tel : +32 (0)2 466.44.44

In case of emergency please contact: Sharda AEA +44(0) 1865 407 333

For batch No. and date of manufacture see packaging, expiry two years from manufacture date

STATUTORY CONDITIONS OF APPROVAL RELATING TO USE. FOR USE ONLY AS AN INSECTICIDE

TARGET SPECIES	SPRAY APPLICATION	PAINT APPLICATION
Flies	500g per 4L of water	250g per 250mL of water.

READ ALL PRECAUTIONS BEFORE USE

PCS 97490

Intended uses:

Indoor use

-In agricultural livestock production facilities, including but not limited to: poultry houses, turkey and chicken houses, cattle, sheep and goat facilities, feedlots, dairy barns, swine confinement buildings, dog kennels, and horse stables.

-In non-food/feed areas of commercial facilities